

SPECIFICATION SHEET

LALVIN SILKA MBR™

LACTIC ACID BACTERIA FOR OENOLOGICAL USE

Lactic acid bacteria in powder form, obtained by lyophilization and packaged in laminated foil.

70548-22-09: 100 hL

70548-34-09: 25 hL

70548-25-09: 2,5 hL

PHYSICAL PROPERTIES

APPEARANCE & ODOUR

- White to beige colour
- Slight odour of fermentation

INGREDIENTS

- Active freeze-dried bacteria *Oenococcus oeni* sp. and maltodextrin as carrier.

FREEZE DRIED BACTERIA SPECIFICATIONS (in compliance with OIV codex)

Viable bacteria	> 10 ¹¹ CFU/g
Dry matter	> 92 %
Coliform.....	< 10 ² CFU/g
<i>E. coli</i>	Absent in 1 g
<i>S. aureus</i>	Absent in 1 g
<i>Salmonella</i>	Absent in 25 g
Acetic Bacteria	< 10 ⁴ CFU/g
Moulds	< 10 ³ CFU/g
Yeast.....	< 10 ³ CFU/g
Lead	< 2 mg/kg
Mercury	< 1 mg/kg
Arsenic	< 3 mg/kg
Cadmium.....	< 1 mg/kg

INSTRUCTIONS FOR USE

One sachet for right quantity of hL indicated on label.

Direct inoculation in must or wine without rehydration is possible. To inoculate, add directly the content of one sachet to the must in fermentation or to the wine towards the end of the alcoholic fermentation. Then stir gently to evenly distribute the bacteria.

For better distribution of bacteria in the tank, we recommend the following:

Rehydrate content of one sachet in clean chlorine-free water at 20°C for a maximum of 15 minutes. Then, add directly to the must in fermentation or to the wine towards the end of the alcoholic fermentation and stir gently to evenly distribute the bacteria.

STORAGE & SHELF LIFE

Store in a dry and cool place.

Shelf life: 18 months at 4°C or 36 months at -18°C in original sealed packaging. Use once opened.

LALLEMAND SAS
4 Chemin du Bord de l'Eau
15130 SAINT-SIMON
FRANCE

The information herein is based on current available data and is believed to be correct. No warranty, express or implied, is made regarding data accuracy, merchantability or hazards associated with product use. The user is responsible for determining product suitability, conditions of use and all associated hazards.

This document is valid for 3 years unless superseded or otherwise indicated.